TYPICAL DRAWING SYMBOLS

\bowtie	General Valve	NC	Normally Closed Valve
\bowtie	Isolating Valve Wheelhead	NO	Normally Open Valve
LSV	Isolating Lockshield Valve		2-Port Control Valve
\bowtie	Non-Return Valve	图	3-Port Control Valve
	Double Non-Return Valve	器	4-Port Control Valve
\triangleright	Pressure-Reducing Valve		Thermostat Mixing Valve
M	Double Regulating Valve		Differential Pressure Control Valve
	Commissioning Valve		Balancing Partner Valve
	Metering Station		Plugged Valve: Future Connection
AVDO	Auto By-Pass Valve	X	Drain-Off Cock

<u></u>	Hose Union Drain Cock	尸	Auto Air Vent
<u> </u>	Flexible Bellow		Single Head Pump
料	Safety Valve		Twin Head Pump
	Float Valve	SG	Sight Glass
	Lockshield Radiator Valve	T	Test Point
	Thermostatic Radiator Valve	├	Flanged Connection
	Gas Cock	;—- I—-;	Union
	Gas Solenoid Valve		Capped End
	Three-Way Vent Valve		Reducer
	Strainer		Pipework

COMMONLY USED SYMBOLS

TYPICAL DRAWING SYMBOLS

Quick Fill	Quick Fill	S	Outside Sensor
GM	Gas Meter	H	Air/Dirt Separator
(VM)	Water Meter	Exp	Expansion Vessel
P	Temperature Gauge	الث	Water Conditioner
P	Pressure Gauge	A	Low-Loss Header
FS	Flow Switch		Dosing Pot
PB	Panic Button		Side Stream Filtration Unit And Dosing Unit
PS	Pressure Switch	Hand (Manual)	Actuator
FI T	Thermostat	→ Utility Filter	Filter
TS	Temperature Sensor	0	Gauge

	PHE		3-Fan Sections
	Pump		4-Fan Sections
	Strainer		Side-To-Side Pipe
-Valve	Valve		Top-To-Bottom Pipe
\longrightarrow	Duct		Side-To-Bottom Pipe
	Return Duct	→	Pipe Flow Arrow
	Return Duct 2	26>	VAV Box
	Supply Duct	\(\sigma\) \(\bar{\bar{\bar{\bar{\bar{\bar{\bar{	DD VAV Box
	Supply Duct 2	Σ	Fan Coil Housing
\longrightarrow	2-Fan Sections		Unit Heater

COMMONLY USED SYMBOLS

COMMONLY USED SYMBOLS

TYPICAL DRAWING SYMBOLS

	Centrifugal Fan	\bowtie	Gate Valve
	Propeller Fan	\bowtie	Water Flow Meter
∇	Vane Axial Fan	Chiller	Chiller
	Damper		Cooling Tower
	Filter		Boiler
	Airflow Station	Equipment	Equipment
	Humidifier	VSD	VSD
\oplus	Heating/Cooling Coil		Start
→	Pump		
	Valve		